

**IN THE CLAIMS:**

1-9 (Cancelled)

10. (Previously Presented) An assembly for mounting to a structure, comprising:

a base having first and second sides and including a first base portion and a second base portion, the first base portion having at least one first portion rib and at least one first portion planar surface adjacent the at least one first portion rib, the at least one first portion rib having a generally U-shaped cross-section and being located between the first and second sides, the first base portion having at least one first portion notch located at each side, the second base portion having at least one second portion rib and at least one second portion planar surface adjacent the at least one second portion rib, the at least one second portion rib having a generally U-shaped cross-section and being located between the first and second sides, the base second portion having at least one second portion lug extending from each side; and,

a cover having first and second sides, a first cover portion and a second cover portion and being removably connectable with the base, the first cover portion having an inwardly facing projection located on each side of the cover, each inwardly facing projection corresponding with one of the first portion notches, the second cover portion having a blind recess located at one each side of the cover, each blind recess corresponding to one of the second portion lugs.

11. (Previously Presented) An assembly, as set forth in claim 10, the base having a third base portion adjacent the second base portion, the third base portion the third base portion having at least one third portion rib and at least one third portion planar surface adjacent the at least one third portion rib, the at least one third portion rib having a generally U-shaped cross-section and being located between the first and second sides, the third base portion having at least one third portion notch located at each side, the cover having a third cover portion adjacent the second cover portion, the third cover portion having an inwardly facing projection located on each side of the cover, each inwardly facing projection corresponding with one of the third portion notches.

12. (Previously Presented) An assembly, as set forth in claim 10, the first base portion having a plurality of first portion ribs.

13. (Previously Presented) An assembly, as set forth in claim 12, the first base portion having a plurality of first portion planar surfaces, each first portion planar surface being located between a pair of first base portion ribs.

14. (Previously Presented) An assembly, as set forth in claim 10, each first portion notch being aligned with an end of one of the first portion ribs.

15. (Previously Presented) As assembly, as set forth in claim 10, the second base portion including a plurality of second portion ribs.

**Applicant: Charles E. Schiedegger**  
**Serial No.: 10/766,048**  
**Group Art Unit: 3635**

16. (Previously Presented) An assembly, as set forth in claim 15, the second base portion having a plurality of second base portion planar surfaces, each second portion planar surface being located between a pair of second base portion ribs.

17. (Previously Presented) An assembly, as set forth in claim 10, each of the first and second base portion planar surfaces having at least one notch for receiving a fastener.

18. (Withdrawn) An assembly, as set forth in claim 10, each of the first and second base ribs having at least one aperture for receiving a fastener.

19. (Withdrawn) An assembly, as set forth in claim 10, each second portion lug being aligned with an end of the second portion ribs.